

Wire Mesh Cable Tray System for Channeling of Cable Wiring

A Simple-to-Install basket cable tray for safe and proper installation of facility wiring in the ceiling and under the floor.

CUT-BEND-CLAMP FOR EASY INSTALLATION!

Wall Mount Floor Mount **Tray Splices Ceiling Mount** Corners **Custom Configurations**

Features

- Available in 5 ft. and 10 ft. lengths
- Electro Zinc Plated for a professional look
- ► Full line of accessories are available to mount on the wall, from the ceiling or under the floor
- Cuts easily with bolt cutter for custom configurations
- ► Cable Trays bolt together to any custom configuration
- Stackable Cable Guides available to separate and secure cables in place
- Complete line of accessories available

Cable Tray Material

Carbon Steel Q235

Surface Finish for cable basket trays

 Electro zinc plating for indoor usage according to BS EN 12329-2000

Dimensions for cable basket trays

- ► Height: 2" (50 mm)
- ▶ Widths: 4", 6", 8", 12" (100, 150, 200, 300 mm)
- ► Length: 5', 10' (1524, 3048 mm)
- ► Diameters of tray wires: 0.18" (4.5 mm)





Scan here to View Cable Tray Video

Quest Manufacturing Corp.

www.QuestManufacturing.net Toll Free 800.280.1067 Phone305.513.8583Fax305.513.9675







Wire Mesh Cable Tray Specifications

Home No.	Description	Color	Dimensions						Unit Weight	
Item No.	Description		Lei	ngth	Wi	dth	He	ight	(lbs)	(kg)
CT0504-03	5FT CABLE TRAY, 4"W x 2"H, ZINC	Silver	5ft	1524mm	4"	100mm	2"	50mm	4.2	1.9
CT1004-03	10FT CABLE TRAY, 4"W x 2"H, ZINC	Silver	10ft	3048mm	4"	100mm	2"	50mm	8.4	3.8
C T0506-03	5FT CABLE TRAY, 6"W x 2"H, ZINC	Silver	5ft	1524mm	6"	150mm	2"	50mm	5.1	2.3
CT1006-03	10FT CABLE TRAY, 6"W x 2"H, ZINC	Silver	10ft	3048mm	6"	150mm	2"	50mm	10.1	4.6
CT0508-03	5FT CABLE TRAY, 8"W x 2"H, ZINC	Silver	5ft	1524mm	8"	200mm	2"	50mm	5.9	2.7
CT1008-03	10FT CABLE TRAY, 8"W x 2"H, ZINC	Silver	10ft	3048mm	8"	200mm	2"	50mm	11.9	5.4
CT0512-03	5FT CABLE TRAY, 12"W x 2"H, ZINC	Silver	5ft	1524mm	12"	300mm	2"	50mm	7.5	3.4
CT1012-03	10FT CABLE TRAY, 12"W x 2"H, ZINC	Silver	10ft	3048mm	12"	300mm	2"	50mm	15.0	6.8

Wire Mesh Cable Tray Construction

Material

► Carbon Steel Q235

Surface Finish

- Electro zinc plating (> = 12μ m)
- ▶ according to BS EN 12329-2000

Application

► For Indoor use

Dimensions for cable basket trays

- ▶ Height: 2" (50 mm)
- ▶ Widths: 4", 6", 8", 12" (100, 150, 200, 300 mm)
- Length: 5', 10' (1524, 3048 mm)
- ► Diameters of tray wires: 0.18" (4.5 mm)




Cable Tray Wire Spacing

W	idths	
inch	mm	
4"	100mm	<u>ا</u> ا
6"	150mm	·
8"	200mm	·
12"	300mm	·


4" Width - Holds up to (128) Cat5E/Cat6 Cables

1							
. 10							
-			e				
- 11			e	٠			


6" Width - Holds up to (192) Cat5E/Cat6 Cables



8" Width - Holds up to (256) Cat5E/Cat6 Cables



12" Width - Holds up to (384) Cat5E/Cat6 Cables







	ray Wire 0.2" (5mm)	Span (max distance between two brackets = 4.92ft)							
Height	Width (inch)	5	ft	10ft					
(inch)		Loading Weight per Span	Loading Weight per Piece	Loading Weight per Span	Loading Weight per Piece				
2" 4"		51 lbs/ft	255 lbs (114kgs)	51 lbs/ft	510 lbs (228ksg)				
2"	6"	52 lbs/ft	260 lbs (115.5kgs)	52 lbs/ft	520 lbs (231kgs)				
2"	8"	53 lbs/ft	265 lbs (118.5kgs)	53 lbs/ft	530 lbs (237kgs)				
2"	2" 12" 57 lbs/ft		285 lbs (127.5kgs)	57 lbs/ft	570 lbs (255kgs)				




Cutting & Joining Guides







Cutting & Bending Guides




Safety Precaution

Always use safety goggles and work gloves for your protection when installing cable tray!



Cutting & Bending Guides




Safety Precaution

Always use safety goggles and work gloves for your protection when installing cable tray!



Cable Tray Accessor	ies			
Nut & Bolt Coupler	Boltless Coupler	Fast Lock Coupler		
СТ0001-03	СТ0009-03	СТ0006-03		
For connecting two straight sections of cable tray (Hardware included)	For connecting bottom of two straight sections of cable tray	For boltless connection creating bends in cable tray		
Strengthening Bar Kit	Fast Splice Bar Kit	Fast Splice Handle Tool		
СТ0002-03	СТ0007-03	CT0008-03		
For connecting two straight sections of cable tray (Hardware included)	For boltless connection of two straight sections of cable tray	For use in installing and removing Fast Splice Bars		
Corner Bar Coupler	Curved Bar Coupler	Adjustable Connector Coupler		
СТ0003-03	СТ0004-03	CT0005-03		
For making squared T's and Cross connections (Hardware included)	For making curved T's and Cross connections (Hardware included)	For strengthening internal and external bends of cable tray (Hardware included)		
Spider Coupler	Central Hold-Down	Cable Guide		
СТ0019-03	CT0031-03	СТ0032-03		
For connecting two straight sections of cable tray	For connecting sections of cable tray directly to floor	For guiding cable at a right angle smoothly out of cable tray		
Ceiling Hanging Hooks	Ceiling Hanging Bar	White Rubber End Caps		
CT0014-03 For mounting of 4/6/8" wide cable tray from the ceiling. Requires Threaded Bars	4" CT0010-04-03 6" CT0010-06-03 8" CT0010-08-03 12" CT0010-12-03 For mounting of cable tray from the ceiling. Requires Threaded Bars	CT0037-08		
MANUFACTURING CO.	www.QuestManufacturing.net			

Cable Tray Accessories





Scan to watch Cable Tray Video

Member

BICSI CORPORATE MEMBER

Quest Manufacturing Corp.

www.QuestManufacturing.net Toll Free 800.280.1067

Scan to go to

QuestManufacturing.net

Phone305.513.8583Fax305.513.9675

