



FLOOR ENCLOSURES

SECTION

01

400 SERIES
w/Acrylic Door

700 SERIES
w/Mesh Door

HOME THEATER





FLOOR ENCLOSURES

400 Smoked Acrylic Door Series **Page No.**

400 Series (19"w x 24"d Size Group)	03-04
410 Series (19"w x 32"d Size Group)	05-06
420 Series (27.5"w x 32"d Size Group)	07-08
430 Series (27.5"w x 36"d Size Group)	09-10

SECTION

01

700 Vented Steel Mesh Door Series **Page No.**

700 Series (19"w x 24"d Size Group)	11-12
710 Series (19"w x 32"d Size Group)	13-14
720 Series (27.5"w x 32"d Size Group)	15-16
730 Series (27.5"w x 36"d Size Group)	17-18
740 Series (27.5"w x 42"d Size Group)	19-20

HT Home Theater Series **Page No.**

HT Series (23"w x 24"d Size Group)	21-22
---	--------------



FLOOR ENCLOSURES

400 SERIES – SMOKED ACRYLIC DOOR
19" X 24" SIZE GROUP

SECTION

01



NEW SIZES

400 Smoked Acrylic Door Series

400 Series

External Rack Size Height	45" (20U) 59" (28U) 69" (34U) 84" (42U) 88" (45U)
External Rack Size Width	23"
External Rack Size Depth	23"
Internal Mounting Format	19"
Reversible Front Locking Door	Smoked Acrylic
Vented Side Panels	Yes
Dual Vented Locking Rear Doors	Yes
Reinforced Door Frame	Yes
Front & Rear Cage Rails	Yes
Dual Key Lock Sets (Doors & Sides)	2 keys per set
Cable Access	Top: Cutouts Bottom: Panels
Electrostatic Powdercoat MicroFinish	Black
Preinstalled 80CFM 110V Fans	2
Casters	Yes
Leveling Feet	Yes
Ground Bus Bar	Yes
Green Grounding Wire	Yes
Cage Nuts, Screws & Washers	30 each
Compliance	EIA-310D
Delivery Style	Assembled or Knockdown

400 Structure and Fabrication

Item No.	Color	Rack Units (U)	Structure (AWG)	Side Panels (AWG)	Top Panel (AWG)	Rear Doors (AWG)	Front Door (AWG)	Base (AWG)
FE4019-20-02	Black	20U	16	18	18	18	18	16
FE4019-28-02	Black	28U	16	18	18	18	18	16
FE4019-34-02	Black	34U	16	18	18	18	18	16
FE4019-42-02	Black	42U	16	18	18	18	18	16
FE4019-45-02	Black	45U	16	18	18	18	18	16

FLOOR ENCLOSURES

400 SERIES – SMOKED ACRYLIC DOOR

19" X 24" SIZE GROUP



400 Smoked Acrylic Door Series

Item No. ¹	Rack Units (1U=1.75") 19" Format	External Dimensions (inch)			Internal Dimensions (inch)			Load Capacity (lbs.)	Shipping Weight (Assembled)	Shipping Weight (Knockdown) ³
		H	W	D	H	W	D ²			
FE4019-20-02	20U	45"	23"	23"	35"	19"	19.5"	1400	147	114
FE4019-28-02	28U	59"	23"	23"	49"	19"	19.5"	1400	165	132
FE4019-34-02	34U	69"	23"	23"	59.5"	19"	19.5"	1400	180	147
FE4019-42-02	42U	84"	23"	23"	74"	19"	19.5"	1400	207	167
FE4019-45-02	45U	88"	23"	23"	79"	19"	19.5"	1400	218	185

1- To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.

2- Internal dimensions measure from front rails to back door. All 400 & 700 Series have an additional 2" usable space from rails to front door.


3- Knockdown Shipping Weight does not include weight of shipping pallet (approximately 60 lbs.)

400 Dual Locking Rear Doors



These locking vented split doors allow mounting of enclosures in tighter spaces closer to the wall.

400 Removable Bottom Panels



Three removable panels for easy access to raised floors or for mounting equipment directly on the floor.

400 Adjustable Cage Nut Rails



Includes adjustable cage nut rails and cage nuts with standard #12-24 mounting screws. All cage nut rails are marked with an RU space index for easy alignment when mounting equipment.

400 Dual Pre-Installed Cooling Fans



Pre-Installed 110VAC 80CFM fan units keep equipment running cool.



SHIPPING OPTIONS

ASSEMBLED

UNASSEMBLED



Available to ship already assembled out-of-box, or ship unassembled in knockdown cartons for additional cost savings. To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.

SECTION

01



FLOOR ENCLOSURES

410 SERIES – SMOKED ACRYLIC DOOR
19" X 32" SIZE GROUP

SECTION

01



NEW SIZES

410 Smoked Acrylic Door Series

410 Series

External Rack Size Height	45" (20U) 59" (28U) 69" (34U) 84" (42U) 88" (45U)
External Rack Size Width	23"
External Rack Size Depth	31"
Internal Mounting Format	19"
Reversible Front Locking Door	Smoked Acrylic
Vented Side Panels	Yes
Dual Vented Locking Rear Doors	Yes
Reinforced Door Frame	Yes
Front & Rear Cage Rails	Yes
Dual Key Lock Sets (Doors & Sides)	2 keys per set
Cable Access	Top: Cutouts Bottom: Panels
Electrostatic Powdercoat MicroFinish	Black
Preinstalled 80CFM 110V Fans	2
Casters	Yes
Leveling Feet	Yes
Ground Bus Bar	Yes
Green Grounding Wire	Yes
Cage Nuts, Screws & Washers	30 each
Compliance	EIA-310D
Delivery Style	Assembled or Knockdown

410 Structure and Fabrication

Item No.	Color	Rack Units (U)	Structure (AWG)	Side Panels (AWG)	Top Panel (AWG)	Rear Doors (AWG)	Front Door (AWG)	Base (AWG)
FE4119-20-02	Black	20U	16	18	18	18	18	16
FE4119-28-02	Black	28U	16	18	18	18	18	16
FE4119-34-02	Black	34U	16	18	18	18	18	16
FE4119-42-02	Black	42U	16	18	18	18	18	16
FE4119-45-02	Black	45U	16	18	18	18	18	16

FLOOR ENCLOSURES

410 SERIES – SMOKED ACRYLIC DOOR

19" X 32" SIZE GROUP



410 Smoked Acrylic Door Series

Item No. ¹	Rack Units (1U=1.75") 19" Format	External Dimensions (inch)			Internal Dimensions (inch)			Load Capacity (lbs.)	Shipping Weight (Assembled)	Shipping Weight (Knockdown) ³
		H	W	D	H	W	D ²			
FE4119-20-02	20U	45"	23"	31"	35"	19"	27.5"	1400	171	138
FE4119-28-02	28U	59"	23"	31"	49"	19"	27.5"	1400	191	158
FE4119-34-02	34U	69"	23"	31"	59.5"	19"	27.5"	1400	209	176
FE4119-42-02	42U	84"	23"	31"	74"	19"	27.5"	1400	229	196
FE4119-45-02	45U	88"	23"	31"	79"	19"	27.5"	1400	246	213

1- To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.

2- Internal dimensions measure from front rails to back door. All 400 & 700 Series have an additional 2" usable space from rails to front door.


3- Knockdown Shipping Weight does not include weight of shipping pallet (approximately 60 lbs.)

410 Dual Locking Rear Doors



These locking vented split doors allow mounting of enclosures in tighter spaces closer to the wall.

410 Removable Bottom Panels



Three removable panels for easy access to raised floors or for mounting equipment directly on the floor.

410 Adjustable Cage Nut Rails



Includes adjustable cage nut rails and cage nuts with standard #12-24 mounting screws. All cage nut rails are marked with an RU space index for easy alignment when mounting equipment.

410 Dual Pre-Installed Cooling Fans



Pre-Installed 110VAC 80CFM fan units keep equipment running cool.



SHIPPING OPTIONS

ASSEMBLED

UNASSEMBLED



Available to ship already assembled out-of-box, or ship unassembled in knockdown cartons for additional cost savings. To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.

SECTION

01



FLOOR ENCLOSURES

420 SERIES – SMOKED ACRYLIC DOOR

27.5" X 32" SIZE GROUP

SECTION

01



NEW SIZES

420 Smoked Acrylic Door Series

420 Series

External Rack Size Height	84" (42U) 88" (45U)
External Rack Size Width	27"
External Rack Size Depth	31"
Internal Mounting Format	19"
Reversible Front Locking Door	Smoked Acrylic
Vented Side Panels	Yes
Dual Vented Locking Rear Doors	Yes
Reinforced Door Frame	Yes
Front & Rear Cage Rails	Yes
Dual Key Lock Sets (Doors & Sides)	2 keys per set
Cable Access	Top:Cutouts Bottom:Panels
Electrostatic Powdercoat MicroFinish	Black
Preinstalled 80CFM 110V Fans	2
Casters	Yes
Leveling Feet	Yes
Ground Bus Bar	Yes
Green Grounding Wire	Yes
Cage Nuts, Screws & Washers	30 each
Compliance	EIA-310D
Delivery Style	Assembled or Knockdown

420 Structure and Fabrication

Item No.	Color	Rack Units (U)	Structure (AWG)	Side Panels (AWG)	Top Panel (AWG)	Rear Doors (AWG)	Front Door (AWG)	Base (AWG)
FE4219-42-02	Black	42U	16	18	18	18	18	16
FE4219-45-02	Black	45U	16	18	18	18	18	16

FLOOR ENCLOSURES

420 SERIES – SMOKED ACRYLIC DOOR

27.5" X 32" SIZE GROUP



420 Smoked Acrylic Door Series

Item No. ¹	Rack Units (1U=1.75") 19" Format	External Dimensions (inch)			Internal Dimensions (inch)			Load Capacity (lbs.)	Shipping Weight (Assembled)	Shipping Weight (Knockdown) ³
		H	W	D	H	W	D ²			
FE4219-42-02	42U	84"	27"	31"	74"	19"	27.5"	1400	256	214
FE4219-45-02	45U	88"	27"	31"	79"	19"	27.5"	1400	262	227

1- To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.

2- Internal dimensions measure from front rails to back door. All 400 & 700 Series have an additional 2" usable space from rails to front door.

3- Knockdown Shipping Weight does not include weight of shipping pallet (approximately 60 lbs.)

SECTION


01

420 Dual Locking Rear Doors



These locking vented split doors allow mounting of enclosures in tighter spaces closer to the wall.

420 Removable Bottom Panels



Three removable panels for easy access to raised floors or for mounting equipment directly on the floor.

420 Adjustable Cage Nut Rails



Includes adjustable cage nut rails and cage nuts with standard #12-24 mounting screws. All cage nut rails are marked with an RU space index for easy alignment when mounting equipment.

420 Dual Pre-Installed Cooling Fans



Pre-Installed 110VAC 80CFM fan units keep equipment running cool.



SHIPPING OPTIONS

ASSEMBLED

UNASSEMBLED



Available to ship already assembled out-of-box, or ship unassembled in knockdown cartons for additional cost savings. To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.




FLOOR ENCLOSURES

430 SERIES – SMOKED ACRYLIC DOOR

27.5" X 36" SIZE GROUP

SECTION

01



NEW SIZES

430 Smoked Acrylic Door Series

430 Series

External Rack Size Height	88" (45U)
External Rack Size Width	27.5"
External Rack Size Depth	36"
Internal Mounting Format	19"
Reversible Front Locking Door	Smoked Acrylic
Vented Side Panels	Yes
Dual Vented Locking Rear Doors	Yes
Reinforced Door Frame	Yes
Front & Rear Cage Rails	Yes
Dual Key Lock Sets (Doors & Sides)	2 keys per set
Cable Access	Top:Cutouts Bottom:Panels
Electrostatic Powdercoat MicroFinish	Black
Preinstalled 80CFM 110V Fans	2
Casters	Yes
Leveling Feet	Yes
Ground Bus Bar	Yes
Green Grounding Wire	Yes
Cage Nuts, Screws & Washers	30 each
Compliance	EIA-310D
Delivery Style	Assembled or Knockdown

430 Structure and Fabrication

Item No.	Color	Rack Units (U)	Structure (AWG)	Side Panels (AWG)	Top Panel (AWG)	Rear Doors (AWG)	Front Door (AWG)	Base (AWG)
FE4319-45-02	Black	45U	16	18	18	18	18	16

FLOOR ENCLOSURES

430 SERIES – SMOKED ACRYLIC DOOR

27.5" X 36" SIZE GROUP



430 Smoked Acrylic Door Series

Item No. ¹	Rack Units (1U=1.75") 19" Format	External Dimensions (inch)			Internal Dimensions (inch)			Load Capacity (lbs.)	Shipping Weight (Assembled)	Shipping Weight (Knockdown) ³
		H	W	D	H	W	D			
FE4319-45-02	45U	88"	27.5"	36"	79"	19"	32"	1400	288	253

1- To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.

2- Internal dimensions measure from front rails to back door. All 400 & 700 Series have an additional 2" usable space from rails to front door.

3- Knockdown Shipping Weight does not include weight of shipping pallet (approximately 60 lbs.)

SECTION


01

430 Dual Locking Rear Doors



These locking vented split doors allow mounting of enclosures in tighter spaces closer to the wall.

430 Removable Bottom Panels



Three removable panels for easy access to raised floors or for mounting equipment directly on the floor.

430 Adjustable Cage Nut Rails



Includes adjustable cage nut rails and cage nuts with standard #12-24 mounting screws. All cage nut rails are marked with an RU space index for easy alignment when mounting equipment.

430 Dual Pre-Installed Cooling Fans



Pre-Installed 110VAC 80CFM fan units keep equipment running cool.



SHIPPING OPTIONS

ASSEMBLED

UNASSEMBLED



Available to ship already assembled out-of-box, or ship unassembled in knockdown cartons for additional cost savings. To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.



FLOOR ENCLOSURES

700 SERIES – VENTED STEEL MESH DOOR
19" X 24" SIZE GROUP

SECTION

01



NEW SIZES

700 Vented Steel Mesh Front Door

700 Series

External Rack Size Height	69" (34U) 84" (42U) 88" (45U)
External Rack Size Width	23"
External Rack Size Depth	23"
Internal Mounting Format	19"
Reversible Front Locking Door	Steel Mesh
Vented Side Panels	Yes
Dual Vented Locking Rear Doors	Yes
Reinforced Door Frame	Yes
Front & Rear Cage Rails	Yes
Dual Key Lock Sets (Doors & Sides)	2 keys per set
Cable Access	Top:Cutouts Bottom:Panels
Electrostatic Powdercoat MicroFinish	Black
Preinstalled 80CFM 110V Fans	2
Casters	Yes
Leveling Feet	Yes
Ground Bus Bar	Yes
Green Grounding Wire	Yes
Cage Nuts, Screws & Washers	30 each
Compliance	EIA-310D
Delivery Style	Assembled or Knockdown

700 Structure and Fabrication

Item No.	Color	Rack Units (U)	Structure (AWG)	Side Panels (AWG)	Top Panel (AWG)	Rear Doors (AWG)	Front Door (AWG)	Base (AWG)
FE7019-34-02	Black	34U	16	18	18	18	18	16
FE7019-42-02	Black	42U	16	18	18	18	18	16
FE7019-45-02	Black	45U	16	18	18	18	18	16

FLOOR ENCLOSURES

700 SERIES – VENTED STEEL MESH DOOR

19" X 24" SIZE GROUP



700 Vented Steel Mesh Front Door Series

Item No. ¹	Rack Units (1U=1.75") 19" Format	External Dimensions (inch)			Internal Dimensions (inch)			Load Capacity (lbs.)	Shipping Weight (Assembled)	Shipping Weight (Knockdown) ³
		H	W	D	H	W	D ²			
FE7019-34-02	34U	69"	23"	23"	59.5"	19"	19.5"	1400	197	164
FE7019-42-02	42U	84"	23"	23"	74"	19"	19.5"	1400	223	190
FE7019-45-02	45U	88"	23"	23"	79"	19"	19.5"	1400	229	196

1- To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.

2- Internal dimensions measure from front rails to back door. All 400 & 700 Series have an additional 2" usable space from rails to front door.

3- Knockdown Shipping Weight does not include weight of shipping pallet (approximately 60 lbs.)

SECTION


01

700 Dual Locking Rear Doors



These locking vented split doors allow mounting of enclosures in tighter spaces closer to the wall.

700 Removable Bottom Panels



Three removable panels for easy access to raised floors or for mounting equipment directly on the floor.

700 Adjustable Cage Nut Rails



Includes adjustable cage nut rails and cage nuts with standard #12-24 mounting screws. All cage nut rails are marked with an RU space index for easy alignment when mounting equipment.

700 Dual Pre-Installed Cooling Fans



Pre-Installed 110VAC 80CFM fan units keep equipment running cool.



SHIPPING OPTIONS

ASSEMBLED

UNASSEMBLED



Available to ship already assembled out-of-box, or ship unassembled in knockdown cartons for additional cost savings. To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.



FLOOR ENCLOSURES

710 SERIES – VENTED STEEL MESH DOOR
19" X 32" SIZE GROUP

SECTION

01



NEW SIZES

710 Vented Steel Mesh Front Door

710 Series

External Rack Size Height	69" (34U) 84" (42U) 88" (45U)
External Rack Size Width	23"
External Rack Size Depth	31"
Internal Mounting Format	19"
Reversible Front Locking Door	Steel Mesh
Vented Side Panels	Yes
Dual Vented Locking Rear Doors	Yes
Reinforced Door Frame	Yes
Front & Rear Cage Rails	Yes
Dual Key Lock Sets (Doors & Sides)	2 keys per set
Cable Access	Top:Cutouts Bottom:Panels
Electrostatic Powdercoat MicroFinish	Black
Preinstalled 80CFM 110V Fans	2
Casters	Yes
Leveling Feet	Yes
Ground Bus Bar	Yes
Green Grounding Wire	Yes
Cage Nuts, Screws & Washers	30 each
Compliance	EIA-310D
Delivery Style	Assembled or Knockdown

710 Structure and Fabrication

Item No.	Color	Rack Units (U)	Structure (AWG)	Side Panels (AWG)	Top Panel (AWG)	Rear Doors (AWG)	Front Door (AWG)	Base (AWG)
FE7119-34-02	Black	34U	16	18	18	18	18	16
FE7119-42-02	Black	42U	16	18	18	18	18	16
FE7119-45-02	Black	45U	16	18	18	18	18	16

FLOOR ENCLOSURES

710 SERIES – VENTED STEEL MESH DOOR

19" X 32" SIZE GROUP



710 Vented Steel Mesh Front Door Series

Item No. ¹	Rack Units (1U=1.75") 19" Format	External Dimensions (inch)			Internal Dimensions (inch)			Load Capacity (lbs.)	Shipping Weight (Assembled)	Shipping Weight (Knockdown) ³
		H	W	D	H	W	D ²			
FE7119-34-02	34U	69"	23"	31"	59.5"	19"	27.5"	1400	216	183
FE7119-42-02	42U	84"	23"	31"	74"	19"	27.5"	1400	247	214
FE7119-45-02	45U	88"	23"	31"	79"	19"	27.5"	1400	253	220

1- To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.

2- Internal dimensions measure from front rails to back door. All 400 & 700 Series have an additional 2" usable space from rails to front door.

3- Knockdown Shipping Weight does not include weight of shipping pallet (approximately 60 lbs.)

SECTION


01

710 Dual Locking Rear Doors



These locking vented split doors allow mounting of enclosures in tighter spaces closer to the wall.

710 Removable Bottom Panels



Three removable panels for easy access to raised floors or for mounting equipment directly on the floor.

710 Adjustable Cage Nut Rails



Includes adjustable cage nut rails and cage nuts with standard #12-24 mounting screws. All cage nut rails are marked with an RU space index for easy alignment when mounting equipment.

710 Dual Pre-Installed Cooling Fans



Pre-Installed 110VAC 80CFM fan units keep equipment running cool.



SHIPPING OPTIONS

ASSEMBLED

UNASSEMBLED



Available to ship already assembled out-of-box, or ship unassembled in knockdown cartons for additional cost savings. To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.



FLOOR ENCLOSURES

720 SERIES – VENTED STEEL MESH DOOR

27.5" X 32" SIZE GROUP

SECTION

01



NEW SIZES

720 Vented Steel Mesh Front Door

720 Series

External Rack Size Height	84" (42U) 88" (45U)
External Rack Size Width	27"
External Rack Size Depth	31"
Internal Mounting Format	19"
Reversible Front Locking Door	Steel Mesh
Vented Side Panels	Yes
Dual Vented Locking Rear Doors	Yes
Reinforced Door Frame	Yes
Front & Rear Cage Rails	Yes
Dual Key Lock Sets (Doors & Sides)	2 keys per set
Cable Access	Top:Cutouts Bottom:Panels
Electrostatic Powdercoat MicroFinish	Black
Preinstalled 80CFM 110V Fans	2
Casters	Yes
Leveling Feet	Yes
Ground Bus Bar	Yes
Green Grounding Wire	Yes
Cage Nuts, Screws & Washers	30 each
Compliance	EIA-310D
Delivery Style	Assembled or Knockdown

720 Structure and Fabrication

Item No.	Color	Rack Units (U)	Structure (AWG)	Side Panels (AWG)	Top Panel (AWG)	Rear Doors (AWG)	Front Door (AWG)	Base (AWG)
FE7219-42-02	Black	42U	16	18	18	18	18	16
FE7219-45-02	Black	45U	16	18	18	18	18	16

FLOOR ENCLOSURES

720 SERIES – VENTED STEEL MESH DOOR

27.5" X 32" SIZE GROUP



720 Vented Steel Mesh Front Door Series

Item No. ¹	Rack Units (1U=1.75") 19" Format	External Dimensions (inch)			Internal Dimensions (inch)			Load Capacity (lbs.)	Shipping Weight (Assembled)	Shipping Weight (Knockdown) ³
		H	W	D	H	W	D ²			
FE7219-42-02	42U	84"	27"	31"	74"	19"	27.5"	1400	264	229
FE7219-45-02	45U	88"	27"	31"	79"	19"	27.5"	1400	277	242

1- To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.

2- Internal dimensions measure from front rails to back door. All 400 & 700 Series have an additional 2" usable space from rails to front door.

3- Knockdown Shipping Weight does not include weight of shipping pallet (approximately 60 lbs.)

SECTION


01

720 Dual Locking Rear Doors



These locking vented split doors allow mounting of enclosures in tighter spaces closer to the wall.

720 Removable Bottom Panels



Three removable panels for easy access to raised floors or for mounting equipment directly on the floor.

720 Adjustable Cage Nut Rails



Includes adjustable cage nut rails and cage nuts with standard #12-24 mounting screws. All cage nut rails are marked with an RU space index for easy alignment when mounting equipment.

720 Dual Pre-Installed Cooling Fans



Pre-Installed 110VAC 80CFM fan units keep equipment running cool.



SHIPPING OPTIONS

ASSEMBLED

UNASSEMBLED



Available to ship already assembled out-of-box, or ship unassembled in knockdown cartons for additional cost savings. To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.



FLOOR ENCLOSURES

730 SERIES – VENTED STEEL MESH DOOR
27.5" X 36" SIZE GROUP

SECTION

01



NEW SIZES

730 Vented Steel Mesh Front Door

730 Series

External Rack Size Height	84" (42U) 88" (45U)
External Rack Size Width	27.5"
External Rack Size Depth	36"
Internal Mounting Format	19"
Reversible Front Locking Door	Steel Mesh
Vented Side Panels	Yes
Dual Vented Locking Rear Doors	Yes
Reinforced Door Frame	Yes
Front & Rear Cage Rails	Yes
Dual Key Lock Sets (Doors & Sides)	2 keys per set
Cable Access	Top: Cutouts Bottom: Panels
Electrostatic Powdercoat MicroFinish	Black
Preinstalled 80CFM 110V Fans	2
Casters	Yes
Leveling Feet	Yes
Ground Bus Bar	Yes
Green Grounding Wire	Yes
Cage Nuts, Screws & Washers	30 each
Compliance	EIA-310D
Delivery Style	Assembled or Knockdown

730 Structure and Fabrication

Item No.	Color	Rack Units (U)	Structure (AWG)	Side Panels (AWG)	Top Panel (AWG)	Rear Doors (AWG)	Front Door (AWG)	Base (AWG)
FE7319-42-02	Black	42U	16	18	18	18	18	16
FE7319-45-02	Black	45U	16	18	18	18	18	16

FLOOR ENCLOSURES

730 SERIES – VENTED STEEL MESH DOOR

27.5" X 36" SIZE GROUP



730 Vented Steel Mesh Front Door Series

Item No. ¹	Rack Units (1U=1.75") 19" Format	External Dimensions (inch)			Internal Dimensions (inch)			Load Capacity (lbs.)	Shipping Weight (Assembled)	Shipping Weight (Knockdown) ³
		H	W	D	H	W	D ²			
FE7319-42-02	42U	84"	27.5"	36"	74"	19"	32"	1400	302	260
FE7319-45-02	45U	88"	27.5"	36"	79"	19"	32"	1400	308	273

1- To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.

2- Internal dimensions measure from front rails to back door. All 400 & 700 Series have an additional 2" usable space from rails to front door.

3- Knockdown Shipping Weight does not include weight of shipping pallet (approximately 60 lbs.)

SECTION


01

730 Dual Locking Rear Doors



These locking vented split doors allow mounting of enclosures in tighter spaces closer to the wall.

730 Removable Bottom Panels



Three removable panels for easy access to raised floors or for mounting equipment directly on the floor.

730 Adjustable Cage Nut Rails



Includes adjustable cage nut rails and cage nuts with standard #12-24 mounting screws. All cage nut rails are marked with an RU space index for easy alignment when mounting equipment.

730 Dual Pre-Installed Cooling Fans



Pre-Installed 110VAC 80CFM fan units keep equipment running cool.



SHIPPING OPTIONS

ASSEMBLED

UNASSEMBLED



Available to ship already assembled out-of-box, or ship unassembled in knockdown cartons for additional cost savings. To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.



FLOOR ENCLOSURES

740 SERIES – VENTED STEEL MESH DOOR

27.5" X 42" SIZE GROUP

SECTION

01



NEW SIZES

740 Vented Steel Mesh Front Door

740 Series

External Rack Size Height	59" (28U) 69" (34U) 84" (42U) 88" (45U)
External Rack Size Width	27"
External Rack Size Depth	41.7"
Internal Mounting Format	19"
Reversible Front Locking Door	Steel Mesh
Vented Side Panels	Yes
Dual Vented Locking Rear Doors	Yes
Reinforced Door Frame	Yes
Front & Rear Cage Rails	Yes
Dual Key Lock Sets (Doors & Sides)	2 keys per set
Cable Access	Top:Cutouts Bottom:Panels
Electrostatic Powdercoat MicroFinish	Black
Preinstalled 80CFM 110V Fans	2
Casters	Yes
Leveling Feet	Yes
Ground Bus Bar	Yes
Green Grounding Wire	Yes
Cage Nuts, Screws & Washers	30 each
Compliance	EIA-310D
Delivery Style	Assembled or Knockdown

740 Structure and Fabrication

Item No.	Color	Rack Units (U)	Structure (AWG)	Side Panels (AWG)	Top Panel (AWG)	Rear Doors (AWG)	Front Door (AWG)	Base (AWG)
FE7419-28-02	Black	28U	16	18	18	18	18	16
FE7419-34-02	Black	34U	16	18	18	18	18	16
FE7419-42-02	Black	42U	16	18	18	18	18	16
FE7419-45-02	Black	45U	16	18	18	18	18	16

FLOOR ENCLOSURES

740 SERIES – VENTED STEEL MESH DOOR

27.5" X 42" SIZE GROUP



740 Vented Steel Mesh Front Door

Item No. ¹	Rack Units (1U=1.75") 19" Format	External Dimensions (inch)			Internal Dimensions (inch)			Load Capacity (lbs.)	Shipping Weight (Assembled)	Shipping Weight (Knockdown) ³
		H	W	D	H	W	D ²			
FE7419-28-02	28U	59"	27"	42"	49"	19"	37.5"	1900	306	271
FE7419-34-02	34U	69"	27"	42"	59"	19"	37.5"	1900	314	279
FE7419-42-02	42U	84"	27"	42"	74"	19"	37.5"	2000	322	287
FE7419-45-02	45U	88"	27"	42"	79"	19"	37.5"	2000	330	295

1- To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.

2- Internal dimensions measure from front rails to back door. All 400 & 700 Series have an additional 2" usable space from rails to front door.

3- Knockdown Shipping Weight does not include weight of shipping pallet (approximately 60 lbs.)

SECTION


01

740 Dual Locking Rear Doors



These locking vented split doors allow mounting of enclosures in tighter spaces closer to the wall.

740 Removable Bottom Panels



Three removable panels for easy access to raised floors or for mounting equipment directly on the floor.

740 Adjustable Cage Nut Rails



Includes adjustable cage nut rails and cage nuts with standard #12-24 mounting screws. All cage nut rails are marked with an RU space index for easy alignment when mounting equipment.

740 Dual Pre-Installed Cooling Fans



Pre-Installed 110VAC 80CFM fan units keep equipment running cool.



SHIPPING OPTIONS

ASSEMBLED

UNASSEMBLED



Available to ship already assembled out-of-box, or ship unassembled in knockdown cartons for additional cost savings. To obtain a knockdown version Floor Enclosure, add a 'K' to the end of the part number.



FLOOR ENCLOSURES

HOME THEATER ENCLOSURES

23" x 24" SIZE GROUP

HT Home Theater Enclosure

HT Series 3ft. 5ft.

External Rack Size Height	36" (16U)	61" (30U)
---------------------------	-----------	-----------

External Rack Size Width	22.5"	22.5"
External Rack Size Depth	24"	24"
Internal Mounting Format	19"	19"
Pre-Installed Vented Shelves (2U)	3	4
Pre-Installed Vented Shelves (5U)	0	1
Shelf Clamps	3	5
Vented Spacers (2U)	3	5
Cable Organizer Bars	3	5
Front and Rear Door	N/A	N/A
Removable Vented Side Panels	Yes	Yes
Threaded Mounting Rails (#12-24)	Yes	Yes
Cable Access	Front & Rear	Front & Rear
Electrostatic Powdercoat MicroFinish	Black	Black
Preinstalled 80CFM 110V Fans	0	0
Soft White Locking Rubber Casters	Yes	Yes
Removable Stainless Steel Handles	Yes	Yes
Compliance	EIA-310D	EIA-310D
Delivery Style	Assembled	Assembled

SECTION

01



HT Structure and Fabrication

Item No.	Color	Rack Units (U)	Structure (AWG)	Side Panels (AWG)	Top Panel (AWG)	Base (AWG)
HT6019-16-02	Black	16U	16	18	18	16
HT6019-30-02	Black	30U	16	18	18	16

FLOOR ENCLOSURES

HOME THEATER ENCLOSURES

23" x 24" SIZE GROUP



HT Home Theater Enclosure Series

Item No. ¹	Rack Units (1U=1.75") 19" Format	External Dimensions (inch)			Internal Dimensions (inch)			Load Capacity (lbs.)	Shipping Weight (Assembled)	Shipping Weight (Knockdown) ³
		H	W	D	H	W	D ²			
HT6019-16-02	16U	36"	22.5"	24"	28"	18"	19"	600	106	N/A
HT6019-30-02	30U	61"	22.5"	24"	52.5"	18"	22"	670	167	N/A

1- Home Theater Floor Enclosures are not available in a knockdown version.

2- Internal dimensions measure from front rails to back door. All HT Series have an additional 3" usable space from rails to front door.

3- Knockdown Shipping Weight does not include weight of shipping pallet (approximately 60 lbs.)

SECTION

01

HT Removable Vented Side Panels



Comes complete with vented removable side panels for easy access to equipment.

HT Pre-Installed Shelving




Pre-Installed shelving for out-of-the-box installation. Each shelf includes a screw-down shelf clamp to hold the A/V equipment in place and cable organizer bar.

HT Fixed Threaded Mounting Rails



Designed with front & rear mounting rails which are threaded for standard #12-24 mounting screws.

HT Locking Soft White Casters



Constructed with locking soft white casters for scuffless moving of equipment.

HT Stainless Steel Push-Pull Handles



Stainless steel push-pull handles makes it easy to gain access to rear equipment wiring.

